

Open **Doors** To a New Beginning



VR GROUP OF INDUSTRIES
Quality Without Compromise





Home Begins At Your Door

We can feel at ease in many different places and in many different ways. In the city or in the country, surrounded by nature or by good friends. But there is a unique and unmistakable feeling that everybody experiences in their own way: the feeling of being at home, the moment they open the front door.

Steel Doors are the best choice if security and durability are your top priorities. Don't just go by our word. Recent studies confirming the benefits of steel doors over other doors.

Recent studies have shown that Hollow metal doors (Steel doors) earned the highest ranking on performance compared to other door materials i.e., Wood, Aluminium, and Fiberglass. These doors evidenced the best Fire Resistance, Thermal and Acoustical Performance, Cyclone Resistance, Resistance to Physical Abuse, Anti-Microbial Properties, Corrosion and water resistant, Low Maintenance and Repair and Most Importantly Longevity.

www.vrgroupofindustries.in

Why Steel Doors?



WEATHER PROOF DOORS

Steel doesn't shrink or swell with the changing weather. A be-all and end-all solution to your monsoon worries.



FIRE RESISTANT

Steel doors stands tall in the case of fire and could give up to 2 hours of "evacuation time". A perfect solution for a stress-free exit.



TERMITE PROOF

Steel doors are unaffected by termites in tropical weather conditions unlike wooden frames. A guaranteed fix for a termite free home.



EASY TO INSTALL

No more carpenter woes. Once assembled, it is ready to install ensuring best turnaround time.



ECO-FRIENDLY

No trees were trimmed to make the steel doors. This benefit gives steel doors green and eco-friendly recognition.

Woodgrain Finish Steel Doors

- ❖ These are made from high quality pvc laminated steel with elegant wood finish patterns on the surface.
- ❖ These doors are available in natural wooden colours.

Material: Woodgrain finish steel.

Infill: Honeycomb core.

Size Limitations: Wall Opening (WxH)

Min: 900 x 2050 mm

Max: 1100 x 2200 mm



Available Woodgrain Colors



*Wood finishes may vary on actual product. Above colours are indicative.

Plain Finish Steel Doors

- ❖ These are simple flush doors that are high on elegance and low on maintenance.
- ❖ These doors are available in range of RAL shades to suit your decor.

Material: Galvanized steel with PU paint.

Infill: Honeycomb core.

Size Limitations: Wall Opening (WxH)

Min: 750 x 2100 mm

Max: 1200 x 2400 mm



Available Colors



*Colours may vary on actual product. Above colours are indicative.

Galvanized Steel Windows

- ❖ **Material:** Window frames and leaves are made - from Skin Pass Galvanized Steel Sheet.
- ❖ **Window Leaves:** Constructed from 1 mm and 1.2mm thick skin pass galvanized steel sheet.
- ❖ **Window Profile of sizes:**
 - 1) 50x50 mm
 - 2) 75x50 mm
 - 3) 90x50 mm
- ❖ **FINISH:** The window frames and window shutters are coated with Zinc Phosphate primer to receive any paint on site or finished with Thermosetting Polyurethane paint of Aliphatic Grade providing high levels of scratch resistance and durability.



UPVC Windows

UPVC profiles facilitates the fabricators to make wide range of windows and doors that perform in diverse weather conditions.

Safe and Secure: UPVC profiles comes up with special fittings, security glass with foil in the middle which provides protection against burglaries.

Fire Resistant: UPVC profiles are manufactured by meeting the DIN standards and are self-extinguishing – it doesn't allow fire to spread due to fire retardant used in the mix.

Durable: The profiles are designed to last for lifetime, and they don't require painting and look as good as new for years





Fire Doors

Fire Doors are designed to meet the life safety requirement by doors are tested and certified to Indian, American and British Standards, Further, these doors complement the existing passive fire-fighting systems already in use in the buildings,

v Applications

Corridor
Staircase Doors
Electrical and Low Energy Ducts

v Size Limitations

Min: 450 x 1200 mm
Max: 1200 x 3000 mm

v Fire Rating: 60 Min, 90 Min, 120 Min and 180 Min

v Infill Material: Honeycomb/Mineral Wool

v Finishes

Standard: RAL Colors
Optional: Wood Grain



Hospital OT & ICU Doors

- ❖ These doors can withstand exposure to chemical washing and are designed to meet the most stringent requirements for clean and hygienic applications including USFDA/WHO/CGMP approvals. Scientific doors facilitate highest standards of hygiene for clean room environment in industries like pharmaceuticals, Biotechnologies, food, Micro Electronics Industries and hospitals.
- ❖ These fully flush type doors available in galvanized steel are provided with a range of indigenous and imported ironmongery. These door sets can be custom designed for individual project requirements while incorporating special features in addition to the vision panels, ironmongery and wide range of colour finish.



Handles and Accessories



LEVER HANDLES AND PULL HANDLES



Lever handle for
Multipoint lock-ERA



Polymide WC
Lever Handles




Polymide Lever Handles with
Roses and indicator black



Stainless Steel Lever
Handle Lt001




Stainless Steel Lever
Handle Lt002



D-Type Handle



Narrow Profile Lever
Handle NL 001



Stainless Steel Lever
Handle X Knobe - ES1B



Stainless Steel Lever Handle
X Lever Knobe - ES1B

DOOR CLOSERS



Door Closer



Concealed Door Closer



Door Closer HDC 03

ACCESSORIES



Door Guard



Eye Viewer



Threshold Rebated



Floor Stop



Wall Stop





VR GROUP OF INDUSTRIES
Quality Without Compromise

Contact Us



www.vrgroupofindustries.in



70757 49066 / 81213 97297



info@vrgroupofindustries.in



H.No. 24-752, Panchasheela Colony,
Balanagar, Hyderabad - 500 037

GST No. : 36AAFPB0505Q1ZV

